

**DOPAMINERGIC AND SEROTONERGIC AGENTS:  
Synthesis and Pharmacological Evaluation of 2-Aminotetralins and  
Related Tricyclic Compounds**

RIJKSUNIVERSITEIT GRONINGEN

**DOPAMINERGIC AND SEROTONERGIC AGENTS:  
Synthesis and Pharmacological Evaluation of 2-Aminotetralins and  
Related Tricyclic Compounds**

PROEFSCHRIFT

ter verkrijging van het doctoraat in de  
Wiskunde en Natuurwetenschappen  
aan de Rijksuniversiteit Groningen  
op gezag van de  
Rector Magnificus Dr. S.K. Kuipers  
in het openbaar te verdedigen op  
maandag 19 oktober 1992  
des namiddags te 4.00 uur

door

**Durk Dijkstra**

geboren 5 september 1946  
te Duurswoude

**Promotor**

**Prof. Dr. H. Wikström**

**Promotiecommissie**

Prof. Dr. R.M. Kellogg

Prof. Dr D.E. Nichols

Prof. Dr. J. Zaagsma

*Ter nagedachtenis aan Alan,  
voor Ali, Majorie en Leonie*

# TABLE of CONTENTS

<b>CHAPTER 1</b>	<b>Introduction</b>	
	1.1 G-Protein Coupled Receptors	1
	1.2 Dopamine Receptors	5
	1.3 Serotonin Receptors	10
	1.4 Scope of the Present Investigation	14
	1.5 References	15
<b>CHAPTER 2</b>	<b>Structure-Activity Relationships</b>	
	2.1 Introduction	17
	2.2 Structure-Activity Relationships of Dopamine Agonists	17
	2.3 Structure-Activity Relationships of Serotonin Agonists	29
	2.4 References	34
<b>CHAPTER 3</b>	<b>Synthesis of a Series of 2-(N-methyl-N-propargylaminotralin: Dopamine Agonists with Monoamine Oxidase Inhibiting Properties</b>	
	3.1 Introduction	39
	3.2 Pharmacology and Therapeutic Potential of MAO-B Inhibitors in Parkinson's Disease	40
	3.3 Irreversible and Selective Inhibitors of MAO	41
	3.4 Topic of this Study	43
	3.5 Chemistry	44
	3.6 Results and Discussion	45
	3.7 Conclusions	51
	3.8 Experimental Part	52
	3.9 References	56
<b>CHAPTER 4</b>	<b>8-Hydroxy-2-(N-methyl-N-propargylaminotetralin: A 5-HT<sub>1A</sub> Agonist with MAO Inhibiting Activity</b>	
	4.1 Introduction	59
	4.2 Site Selective Inhibitors of MAO	61
	4.3 Chemistry	61
	4.4 Results and Discussion	62
	4.5 Experimental Section	65
	4.6 References	67
<b>CHAPTER 5</b>	<b>Synthesis and Pharmacological Activity of the Hexahydro-4H-naphth[1,2b][1,4]-oxazines: A New Series of Potent Dopamine Receptor Agonists</b>	
	5.1 Introduction	69
	5.2 Chemistry	70

	5.3 Results and Discussion	71
	5.4 Experimental Section	75
	5.5 References	78
<b>CHAPTER 6</b>	<b>Synthesis and Pharmacological Evaluation of the Enantiomers of <i>trans</i>-9-Hydroxy-4-N-n-Propyl-2,3,4a,5,6,10b-hexahydro-2H-naphth[1,2b]1,4]-oxazine</b>	
	6.1 Introduction	81
	6.2 Chemistry	81
	6.3 Results and Discussion	83
	6.4 Experimental Section	84
	6.5 References	86
<b>CHAPTER 7</b>	<b>Synthesis and Pharmacology of <i>trans</i>-4-n-Propyl-3,4,4a,10b-tetrahydro-2H,5H-1-benzopyrano-[4,3b][1,4]-oxazine-7 and 9-ols: The Significance of Nitrogen pK<sub>a</sub> Values for Central Dopamine Receptor Activation</b>	
	7.1 Introduction	89
	7.2 Chemistry	91
	7.3 Results and Discussion	94
	7.5 Experimental Section	98
	7.6 References	105
<b>CHAPTER 8</b>	<b>A Simple, Unexpected Regioselective Chlorination of a Series of 5-OH-2-(alkylamino)tetalins Potential Dopaminergic Agents</b>	
	8.1 Introduction	109
	8.2 Chemistry	109
	8.6 References and Notes	112
<b>CHAPTER 9</b>	<b>Synthesis and Pharmacological Evaluation of a Series of Dopaminergic 8-Cl-5-OH-2-(dialkylamino)tetalins</b>	
	9.1 Introduction	115
	9.2 Chemistry	116
	9.3 Results and Discussion	117
	9.5 Experimental Section	125
	6.6 References	128
<b>CHAPTER 10</b>	<b>Discussion</b>	
	10.1 DA Agonists	131
	10.2 DA Autoreceptor Agonists	132
	10.3 DA / 5-HT <sub>1A</sub> Balance	133
	10.4 A New 8-OH-DPAT Analogue with Combined MAO-Inhibiting and 5-HT <sub>1A</sub> Agonistic Activities	134

	10.5 General Remarks	135
	10.6 References	136
<b>Summary</b>		139
<b>Samenvatting</b>		141
<b>List of Publications</b>		145
<b>Dankwoord</b>		149

This thesis is mainly based on material presented in the following publications:

Dijkstra D, Hazelhoff B, Mulder TBA, De Vries JB, Wynberg H, Horn AS (1985) Synthesis and Pharmacological Activity of the Hexahydro-4H-naphth[1,2b][1,4]-oxazines: a New Series of Potent Dopamine Receptor Agonists. *Eur J Med Chem* **20**, 247

Dijkstra D, Mulder TBA, Rollema H, Tepper PG, Van der Weide J, Horn AS (1988) Synthesis and Pharmacology of *trans*-4-n-Propyl-3,4,4a,10b-tetrahydro-2H,5H-1-benzopyrano-[4,3b][1,4]-oxazin-7- and -9-ols. The Significance of Nitrogen pK<sub>a</sub> Values for Central Dopamine Receptor Activation. *J Med Chem* **31**, 2178

Vermue NA, Dijkstra D, Horn AS (1988) Pharmacological Profile of a Chromanamine Analog (DP-60H-3CA) of the Selective Presynaptic Dopamine Agonist N,N-dipropyl-7-hydroxy-2-aminotetralin. *J Pharm Pharmacol* **40**, 574

Hazelhoff B, De Vries JB, Dijkstra D, Mulder TBA, Horn AS (1985) N-Methyl-N-propargylaminotetralins: Potential Dopamine Agonists with Monoamine Oxidase Inhibiting Properties *Eur J Pharmacol* **109**, 229

Dijkstra D, Grol CJ (1992): A Simple, Unexpected Regioselective Chlorination of a Series of 5-OH-2-(dialkylamino)tetralins: Potential Dopaminergic Agents *Bioorg & Med Chem Lett* **2**, 115

Dijkstra D, De Vries JB, Homan EJ, Kwint HF, Westerink BHC: 8-Hydroxy-2-(N-methyl-N-propargylamino)tetralin: a 5-HT<sub>1A</sub> Agonist with MAO inhibiting Properties, (*Submitted for publication*)

Dijkstra D, Coppinga S, De Vries JB, Den Daas I, Timmerman W, De Jager H, Hacksell U, Wikström H: Synthesis and Pharmacological Evaluation of a Series of Dopaminergic and Serotonergic 8-Cl-5-OH-2-(dialkylamino)tetralins (*Submitted for publication*)