

Bibliography

- Abramowitz, M. and Stegun, I. A. (eds): 1972, *Handbook of Mathematical Functions*, Dover Publications Inc., New York.
- Ai, B., Wang, X., Liu, G. and Liu, L.: 2003, Correlated noise in a logistic growth model, *Phys. Rev. E* **67**, 022903.
- Aita, T. and Husimi, Y.: 1998, Adaptive walks by the fittest among finite random mutants on a Mt. Fuji-type fitness landscape, *J. Theor. Biol.* **193**, 383–405.
- Aita, T. and Husimi, Y.: 2003, Thermodynamical interpretation of an adaptive walk on a Mt. Fuji-type fitness landscape: Einstein relation-like formula holds in a stochastic evolution, *J. Theor. Biol.* **225**, 215–288.
- Aita, T., Morinaga, S. and Husimi, Y.: 2004, Thermodynamical interpretation of evolutionary dynamics on a fitness landscape in a evolution reactor, I, *Bull. Math. Biol.* **66**, 1371–1403.
- Aita, T., Morinaga, S. and Husimi, Y.: 2005, Thermodynamical interpretation of evolutionary dynamics on a fitness landscape in a evolution reactor, II, *Bull. Math. Biol.* **67**, 613–635.
- Albert, A. Y. K., Sawaya, S., Vines, T. H., Knecht, A. K., Miller, C. T., Summers, B. R., Balabhadra, S., Kingsley, D. M. and Schluter, D.: 2008, The genetics of adaptive shape shift in stickleback: Pleiotropy and effect size, *Evolution* **62**(1), 76–85.

BIBLIOGRAPHY

- Allee, W.: 1931, *Animal Aggregations. A study in General Sociology.*, University of Chicago Press, Chicago.
- Anteneodo, C. and Tsallis, C.: 2003, Multiplicative noise: A mechanism leading to nonextensive statistical mechanics, *J. Math. Phys.* **44**(11), 5194–5203.
- Ao, P.: 2005, Laws in Darwinian evolutionary theory, *Phys. Life Rev.* **2**(2), 117–156.
- Ao, P.: 2008, Emerging of stochastic dynamical equalities and steady state thermodynamics from darwinian dynamics, *Commun. Theor. Phys.* **49**(5), 1073–1090.
- Arnold, S. J., Bürger, R., Hohenlohe, P. A., Ajie, B. C. and Jones, A. G.: 2008, Understanding the evolution and stability of the G-matrix, *Evolution* **62**(10), 2451–2461.
- Arnold, S., Pfrender, M. and Jones, A.: 2001, The adaptive landscape as a conceptual bridge between micro-and macroevolution, *Genetica* **112-113**, 9–32.
- Ayala, F., Gilpin, M. and Ehrenfeld, J.: 1973, Competition between species: theoretical models and experimental tests, *Theor. Popul. Biol.* **4**(3), 331–5.
- Barton, N. and Coe, J.: 2009, On the application of statistical physics to evolutionary biology, *J. Theor. Biol.* .
- Barton, N. H.: 1986, The maintenance of polygenic variation through a balance between mutation and stabilizing selection, *Genet. Res. (Camb.)* **49**, 157–174.
- Barton, N. H.: 1989, The divergence of a polygenic system under stabilizing selection, mutation and drift, *Genet. Res. (Camb.)* **54**, 59–77.
- Barton, N. H.: 1990, Pleiotropic models of quantitative variation, *Genetics* **124**, 773–782.
- Barton, N. H. and de Vladar, H. P.: 2009, Statistical mechanics and the evolution of polygenic quantitative traits, *Genetics* **181**(3), 997–1011.

BIBLIOGRAPHY

- Barton, N. H. and Keightley, P. D.: 2002, Understanding quantitative genetic variation, *Nat. Rev. Genet.* **3**(1), 11–21.
- Barton, N. H. and Rouhani, S.: 1987, The frequency of shifts between alternative equilibria, *J. Theor. Biol.* **125**(4), 397–418.
- Barton, N. H. and Shpak, M.: 2000, The stability of symmetric solutions to polygenic models, *Theor. Pop. Biol.* **57**(3), 249–63.
- Barton, N. H. and Turelli, M.: 1987, Adaptive landscapes, genetic distance and the evolution of quantitative characters, *Genetical Research* **49**(2), 157–173.
- Barton, N. H. and Turelli, M.: 1989, Evolutionary quantitative genetics: how little do we know?, *Annu. Rev. Genet.* **23**, 337–70.
- Barton, N. H. and Turelli, M.: 1991, Natural and sexual selection on many loci, *Genetics* **127**, 229–55.
- Barton, N., Turelli, M. and Houle, D.: 2004, Effects of genetic drift on variance components under a general model of epistasis, *Evolution* .
- Beavis, W. D.: 1998, QTL analyses: power, precision and accuracy, in A. H. Patterson (ed.), *Molecular dissection of complex traits*, CRC Press, New York, USA, pp. 145–162.
- Beerenwinkel, N., Pachter, L., Sturmfels, B., Elena, S. and Lenski, R.: 2007, Analysis of epistatic interactions and fitness landscapes using a new geometric approach, *BMC Evolutionary Biology* **7**(1), 60.
- Begin, M. and Roff, D.: 2001, An analysis of G matrix variation in two closely related cricket species, *Gryllus firmus* and *G. pennsylvanicus*, *J. Evol. Biol.* **14**(1), 1–13.
- Begin, M. and Roff, D.: 2003, The constancy of the G matrix through species divergence and the effects of quantitative genetic constraints on phenotypic evolution: A case study in crickets, *Evolution* **57**(5), 1107–1120.

BIBLIOGRAPHY

- Bergland, A. O., Genissel, A., Nuzhdin, S. V. and Tatar, M.: 2008, Quantitative trait loci affecting phenotypic plasticity and the allometric relationship of ovariole number and thorax length in *Drosophila melanogaster*, *Genetics* **180**(1), 567–82.
- Biró, T. and Jakovác, A.: 2005, Power-law tails from multiplicative noise, *Phys. Rev. Lett.* **94**(13), 132302.
- Björklund, M.: 2004, Constancy of the G matrix in ecological time, *Evolution* **58**(6), 1157–1164.
- Blows, M.: 2007, A tale of two matrices: multivariate approaches in evolutionary biology, *J. Evol. Biol.* **20**, 1–8.
- Boltzmann, L.: 1872, Further studies on the thermal equilibrium of gas molecules, *Sitzungsberichte der Akademie der Wissenschaften, Wien II* **66**, 275–370.
- Boyko, A., Williamson, S., Indap, A. and Degenhardt, J.: 2008, Assessing the evolutionary impact of amino acid mutations in the human genome, *PLoS Genet.* **4**(5), e1000083.
- Brodie, E.: 1993, Homogeneity of the genetic variance-covariance matrix for antipredator traits in 2 natural-populations of the garter snake *Thamnophis ordinoides*, *Evolution* **47**(3), 844–854.
- Brown, J. H., Gillooly, J., Allen, A. P., Savage, V. M. and West, G. B.: 2004, Toward a metabolic theory of ecology, *Ecology* **85**(7), 1771–1789.
- Brown, J. and West, G. (eds): 2000, *Scaling in Biology*, Oxford Univ. Press, Oxford, UK.
- Bulmer, M.: 1971, Effect of selection on genetic variability, *Am. Nat.* **105**(943), 201–211.
- Bulmer, M.: 1972, The genetic variability of polygenic characters under optimizing selection, mutation and drift., *Genet. Res.* **19**(1), 17–25.
- Bulmer, M.: 1980, *Mathematical Theory of Quantitative Genetics*, Oxford Univ. Press, Oxford, UK.

BIBLIOGRAPHY

- Bürger, R.: 1991, Moments, cumulants, and polygenic dynamics, *J. Math. Biol.* **30**(2), 199–213.
- Bürger, R.: 1993, Predictions of the dynamics of a polygenic character under directional selection, *J. Theor. Biol.* **162**, 487–512.
- Bürger, R.: 2000, *The Mathematical Theory of Selection, Recombination, and Mutation*, Wiley Series in Mathematical & Computational Biology., Wiley, New York, USA.
- Bürger, R. and Gimelfarb, A.: 2004, The effects of intraspecific competition and stabilizing selection on a polygenic trait, *Genetics* **167**(3), 1425–1443.
- Bürger, R., Wagner, G. P. and Stettinger, F.: 1989, How much heritable variation can be maintained in finite populations by mutation selection balance, *Evolution* **43**(8), 1748–1766.
- Calder, W. A.: 1984, *Size, Function, and Life History*, Harvard Univ. Press, Harvard, USA.
- Cano, J. M., Laurila, A., Palo, J. and Merilä, J.: 2004, Population differentiation in G matrix structure due to natural selection in *Rana temporaria*, *Evolution* **58**(9), 2013–2020.
- Carter, A., Hermisson, J. and Hansen, T.: 2005, The role of epistatic gene interactions in the response to selection and the evolution of evolvability, *Theor. Pop. Biol.* **68**, 179–196.
- Charlesworth, B., Lande, R. and Slatkin, M.: 1982, a neo-Darwinian commentary on macroevolution, *Evolution* **36**(3), 474–498.
- Charnov, E. L.: 1993, *Life history invariants*, Oxford Univ. Press, Oxford, UK.
- Cheverud, J.: 2000, Detecting epistasis among quantitative trait loci, in J. Wolf, E. D. Brodie and M. Wade (eds), *Epistasis and the evolutionary process*, Oxford Univ. Press, New York, USA, pp. 58–81.
- Cheverud, J.: 2006, Genetic architecture of quantitative variation, in C. Fox and J. Wolf (eds), *Evolutionary genetics: Concepts and case studies*, Oxford Univ. Press, Oxford, UK, pp. 288–309.

BIBLIOGRAPHY

- Coulson, T., Benton, T., Lundberg, P., Dall, S., Kendall, B. and Gailard, J.: 2006, Estimating individual contributions to population growth: evolutionary fitness in ecological time, *Proc. R. Soc. Lond. B* **273**(1586), 547–555.
- Coyne, J. A., Barton, N. H. and Turelli, M.: 1997, A critique of Wright's shifting balance theory of evolution, *Evolution* **51**, 643–671.
- Crow, J. F. and Kimura, M.: 1970, *An Introduction to Population Genetics Theory*, Harper & Row, New York, USA.
- Darwin, C.: 1859, *On the origin of species by means of natural selection*, John Murray, London, UK.
- Day, T. and Taylor, P. D.: 1997, von Bertalanffy's growth equation should not be use to model age and size at maturity., *Am. Nat.* **149**(2), 381–393.
- de Brito, R. A., Pletscher, L. S. and Cheverud, J. M.: 2005, The evolution of genetic architecture. I. diversification of genetic backgrounds by genetic drift, *Evolution* **59**(11), 2333–2342.
- De Groot, S. R. and Mazur, P.: 1984, *Non-Equilibrium Thermodynamics*, Dover Publications Inc., New York.
- de Vladar, H. P.: 2006, Density dependence as a size-independent mechanism., *J. Theor. Biol.* **238**(2), 245–256.
- de Vladar, H. P. and Gonzalez, J. A.: 2004, Dynamic response of cancer under the influence of immunological activity and therapy, *J. Theor. Biol.* **227**(3), 335–348.
- de Vladar, H. P. and Pen, I.: 2007, Determinism, noise, and spurious estimations in a generalised model of population growth, *Physica A* **373**, 477–485.
- Diserud, P. and Engen, S.: 2000, A general and dynamic species abundance model, embracing the lognormal and the gamma models., *Am. Nat.* **155**(4), 497–511.

BIBLIOGRAPHY

- Doebeli, M.: 1996a, A quantitative genetic competition model for sympatric speciation, *J. Evol. Biol.* **9**(6), 893–909.
- Doebeli, M.: 1996b, Quantitative genetics and population dynamics, *Evolution* **50**(2), 532–546.
- Doebeli, M. and de Jong, G.: 1999, Genetic variability in sensitivity to population density affects the dynamics of simple ecological models, *Theor. Pop. Biol.* **55**, 37–52.
- Doebeli, M. and Koella, J. C.: 1995, Evolution of simple population-dynamics, *Proc. R. Soc. Lond. B* **260**(1358), 119–125.
- Doroszuk, A., Wojewodzic, M. W., Gort, G. and Kammenga, J. E.: 2008, Rapid divergence of genetic variance-covariance matrix within a natural population, *Am. Nat.* **171**(3), 291–304.
- Ebenman, B., Johansson, A., Jonsson, T. and Wennergren, U.: 1996, Evolution of stable population dynamics through natural selection, *Proc. R. Soc. Lond. B* **263**(1374), 1145–1151.
- Edwards, A. W. F.: 1994, The fundamental theorem of natural selection, *Biol. Rev.* **69**(4), 443–474.
- Edwards, A. W. F.: 2002, The fundamental theorem of natural selection, *Theor. Pop. Biol.* **61**, 335–337.
- Eigen, M.: 1971, Selforganization of matter and the evolution of biological macromolecules, *Naturwissenschaften* **58**(10), 465–523.
- Eigen, M. and Schuster, P.: 1979, *The Hypercycle*, Springer - Verlag, Berlin, Germany.
- Ellegren, H.: 2000, Microsatellite mutations in the germline: implications for evolutionary inference, *Trends Genet.* **16**(12), 551–558.
- Emmeche, C.: 1998, Defining life as a semiotic phenomenon, *Cybern. Hum. Know.* **5**(1), 3–17.
- Ewens, W. J.: 1969, A generalized fundamental theorem of natural selection, *Genetics* **63**, 531–537.

BIBLIOGRAPHY

- Ewens, W. J.: 1976, Remarks on the evolutionary effect of natural selection, *Genetics* **83**, 601–607.
- Ewens, W. J.: 1979, *Mathematical Population Genetics*, Springer - Verlag, Berlin, Germany.
- Fa, K.: 2003, Linear Langevin equation with time-dependent drift and multiplicative noise term: exact study, *Chem. Phys.* **287**, 1–5.
- Falconer, D. S. and Mackay, T. F. C.: 1996, *Introduction to Quantitative Genetics*, 4th edn, Longmans Green, Essex, UK.
- Ferriere, R. and Gatto, M.: 1993, Chaotic population-dynamics can result from natural selection, *Proc. R. Soc. Lond. B* **251**(1330), 33–38.
- Fisher, R. A.: 1918, The correlation between relatives on the supposition of mendelian inheritance, *Trans. Roy. Soc. Edinb.* **52**, 399–433.
- Fisher, R. A.: 1930, *The genetical theory of natural selection*, 1st edn, Clarendon, Oxford, UK.
- Fisher, R. A.: 1941, Average excess and average effect of a gene substitution, *Ann. Eugen.* **11**, 53–63.
- Fisher, R. A.: 1958, *The genetical theory of natural selection*, 2nd edn, Dover, New York, USA.
- Fisher, R. A.: 1999, *The genetical theory of natural selection (Commented by J. H. Bennet)*, 3rd edn, Oxford Univ. Press, Oxford, UK.
- Fisher, R. A. and Tippett, L. H. C.: 1928, Limiting forms of the frequency distribution of the largest or smallest member of a sample, *Proc. Camb. Phil. Soc.* **24**, 180–190.
- Fleming, G. R. and Hänggi, P.: 1993, *Activated Barrier Crossing: Applications in Physics, Chemistry and Biology*, World Scientific, Singapore.
- Fontana, W. and Buss, L.: 1994, What would be conserved if "the tape were played twice"?, *Proc. Natl. Acad. Sci. USA* **91**(2), 757–761.

BIBLIOGRAPHY

- Fowler, C.: 1988, Population dynamics as related to rate of increase per generation, *Evolutionary Ecology* .
- Frank, S.: 1997, The Price equation, Fisher's fundamental theorem, kin selection, and causal analysis, *Evolution* **51**(6), 1712–1729.
- Frank, S. and Slatkin, M.: 1990, The distribution of allelic effects under mutation and selection, *Genet. Res.* **55**, 111–117.
- Frank, S. and Slatkin, M.: 1992, Fisher's fundamental theorem of natural selection., *Trends Ecol. Evol.* **7**(3), 92–95.
- Gardiner, C.: 2004, *Handbook of Stochastic Methods*, Springer - Verlag, Berlin, Germany.
- Gardner, A. and West, S. A.: 2004, Spite among siblings, *Science* **305**(413-414).
- Gatto, M.: 1993, The evolutionary optimality of oscillatory and chaotic dynamics in simple population models, *Theor. Popul. Biol.* **43**(3), 310–336.
- Gavrilets, S. and de Jong, G.: 1993, Pleiotropic models of polygenic variation, stabilizing selection, and epistasis and epistasis, *Genetics* **134**, 609–625.
- Gavrilets, S. and Hastings, A.: 1993, Maintenance of genetic variability under strong stabilizing selection: A two-locus model, *Genetics* .
- Genovese, W. and noz, M. A. M.: 1999, Recent results on multiplicative noise, *Phys. Rev. E* **60**(1), 69–78.
- Georgii, H.: 2003, Probabilistic aspects of entropy, in A. Greven (ed.), *Entropy*, Princeton Univ. Press, Princeton, USA.
- Gilpin, M. and Ayala, F.: 1973, Global models of growth and competition., *Proc. Natl. Acad. Sci. USA* **70**(12), 3590–3.
- Gilpin, M. E., Case, T. J. and Ayala, F. J.: 1976, θ -selection., *Math. Biosci.* **32**, 131–139.

BIBLIOGRAPHY

- Goldstein, S. and Lebowitz, J.: 2004, On the (Boltzmann) entropy of non-equilibrium systems, *Physica D* **193**, 53–66.
- Gompertz, B.: 1825, On the nature of the function expressive of the law of human mortality, and on a new mode of determining the value of life contingencies, *Phil. Trans. R. Soc. London* **123**, 513–585.
- Gonik, M., Berezovskaya, F., Malchow, H. and Medvinsky, A.: 2005, Evolution of rotifer population dynamics in a heterogeneous habitat: Mathematical modeling, *Biofizika* **50**(5), 928–933.
- González, J. A., Trujillo, L. and Escalante, A. A.: 2003, Intrinsic chaos and external noise in population dynamics., *Physica A* **324**, 723.
- Goodnight, C. J.: 1995, Epistasis and the increase in additive genetic variance – implications for phase-1 of Wrigth’s shifting balance process, *Evolution* **49**(3), 502–511.
- Góra, P.: 2005, Population explosion suppressed by noise: stationary distributions and how to simulate them, *New J. Phys.* **7**, 36.
- Grafen, A.: 2003, Fisher the evolutionary biologist, *J. Roy. Stat. Soc. D-Stat.* **52**(3), 319–329.
- Guillaume, F. and Whitlock, M. C.: 2007, Effects of migration on the genetic covariance matrix, *Evolution* **61**(10), 2398–2409.
- Gzyl, H.: 1995, The maximum entropy method, *Series on Advances in Mathematics for Applied Sciences*, Vol. 29, World Scientific Publishing, Singapore.
- Haddrill, P. R., Bachtrog, D. and Andolfatto, P.: 2008, Positive and negative selection on noncoding dna in drosophila simulans, *Mol. Biol. Evol.* **25**(9), 1825–1834.
- Halley, J. and Kunin, W.: 1999, Extinction risk and the $1/f$ family of noise models, *Theor. Pop. Biol.* **56**, 215–230.
- Hamilton, W.: 1963, The evolution of altruistic behavior., *Am. Nat.* **97**, 354–356.

BIBLIOGRAPHY

- Hamilton, W.: 1964, The genetical evolution of social behavior, I & II., *J. Theor. Biol.* **7**, 1–52.
- Hänggi, P.: 1994, Escape over fluctuating barriers driven by colored noise, *Chem. Phys.* **180**, 157–166.
- Hansen, T.: 2006, The evolution of genetic architecture, *Annu. Rev. Ecol. Syst.* **37**, 123–157.
- Hanski, I., Turchin, P., Korpimäki, E. and Henttonen, H.: 1993, Population oscillations of boreal rodents: regulation by mustelid predators leads to chaos., *Nature* **364**(6434), 232–235.
- Hart, D., Shochat, E. and Agur, Z.: 1998, The growth law of primary breast cancer as inferred from mammography screening trials data., *Br. J. Cancer* **78**(3), 382–7.
- Hastings, A. and Harrison, S.: 1994, Metapopulation dynamics and genetics, *Annu. Rev. Ecol. Syst.* **25**, 167–188.
- Hastings, W.: 1970, Monte carlo sampling methods using markov chains and their applications, *Biometrika* **57**(1), 97.
- Hatcher, M. J.: 2000, Persistence of selfish genetic elements: population structure and conflict, *Trends Ecol. Evol.* **15**(7), 271–277.
- Haygood, R., Fedrigo, O., Hansonu, B. and Yokoyama, K.-D.: 2007, Promoter regions of many neural- and nutrition related genes have experienced positive selection during human evolution, *Nat. Genet.* **39**(2), 1140–1144.
- Heino, M., Metz, J. A. J. and Kaitala, V.: 1998, The enigma of frequency-dependent selection, *Trends Ecol. Evol.* **13**(9), 367–370.
- Henle, K., Sarre, S. and Wiegand, K.: 2004a, The role of density regulation in extinction processes and population viability analysis, *Biodiv. Conserv.* **13**, 9–52.
- Henle, K., Sarre, S. and Wiegand, K.: 2004b, The role of density regulation in extinction processes and population viability analysis, *Biodiv. Cons.* **13**, 9–52.

BIBLIOGRAPHY

- Hershey, A. D.: 1939, Factors limiting bacterial growth: IV equations describin the early periods of increase, *J. Gen. Physiol* **23**, 11–19.
- Hoede, C., Denamur, E. and Tenaillon, O.: 2006, Selection acts on dna secondary structures to decrease transcriptional mutagenesis, *PLoS Genet.* **2**(11), e176.
- Hoekstra, H., Hoekstra, J., Berrigan, D., Vignieri, S., Hoang, A., Hill, C., Beerli, P. and Kingsolver, J.: 2001, Strength and tempo of directional selection in the wild, *Proc. Natl. Acad. Sci. USA* **98**(16), 9157–9160.
- Iwasa, Y.: 1988, Free fitness that always increases in evolution, *J. Theor. Biol.* **135**, 265–281.
- Jones, A., Arnold, S. and Bürger, R.: 2003, Stability of the G-matrix in a population experiencing pleiotropic mutation, stabilizing selection, and genetic drift, *Evolution* **57**(8), 1747–1760.
- Jones, A., Arnold, S. and Bürger, R.: 2004, Evolution and stability of the G-matrix on a landscape with a moving optimum, *Evolution* **58**(8), 1639–1654.
- Jones, A., Arnold, S. and Bürger, R.: 2007, The mutation matrix and the evolution of evolvability, *Evolution* **61**(4), 727–745.
- Kadanoff, L.: 2000, *Statistical Physics, Statics, Dynamics, and Renormalization*, World Scientific, London.
- Kalisz, S. and Krishnamurthy, M.: 2007, Variation and constraint in plant evolution and development, *Heredity* **100**(2), 1–7.
- Kaniadakis, G. and Lapenta, G.: 2000, Microscopic dynamics underlying anomalous diffusion, *Phys. Rev. E* **62**(3), 3246–3249.
- Karlin, S. and Feldman, M. W.: 1970, Convergence to equilibrium of the two locus additive viability model, *J. Appl. Probab.* **7**(2), 262–&.
- Karlin, S. and Taylor, H. M.: 1975, *A First Course in Stochastic Processes*, 2nd edn, Academic Press, London, UK.

BIBLIOGRAPHY

- Kawabe, A., Fujimoto, R. and Charlesworth, D.: 2007, High diversity due to balancing selection in the promoter region of the *medea* gene in *arabidopsis lyrata*, *Curr. Biol.* **17**, 1885–1889.
- Keightley, P. D.: 1991, Genetic variance and fixation probabilities at quantitative trait loci in mutation-selection balance., *Genet. Res.* **58**, 139–144.
- Keightley, P. D. and Hill, W.: 1990, Variation maintained in quantitative traits with mutation selection balance - pleiotropic side-effects in fitness traits, *Proc. R. Soc. London B* **242**(1304), 95–100.
- Keightley, P. D. and Hill, W. G.: 1987, Directional selection and variation in finite populations, *Genetics* **117**, 573–582.
- Kenney-Hunt, J. P., Wang, B., Norgard, E. A., Fawcett, G., Falk, D., Pletscher, L. S., Jarvis, J. P., Roseman, C., Wolf, J. and Cheverud, J. M.: 2008, Pleiotropic patterns of quantitative trait loci for 70 murine skeletal traits, *Genetics* **178**(4), 2275–2288.
- Kim, Y. and Wiehe, T.: 2008, Simulation of dna sequence evolution under models of recent directional selection, *Brief. Bioinform.* **10**(1), 84–96.
- Kimura, M.: 1955, Solution of a process of random genetic drift with a continuous model, *Proc. Natl. Acad. Sci. USA* **41**, 144–150.
- Kimura, M.: 1965a, A stochastic model concerning the maintenance of genetic variability in quantitative characters, *Proc. Natl. Acad. Sci. USA* **54**, 731–736.
- Kimura, M.: 1965b, A stochastic model concerning the maintenance of genetic variability in quantitative characters., *Proc. Nat. Acad. Sci. USA* **54**, 731–736.
- Kimura, M.: 1985, *The neutral theory of molecular Evolution*, Cambridge Univ. Press, Cambridge, UK.
- Kingman, J. F. C.: 1978, A simple model for the balance between selection and mutation, *J. Appl. Probab.* **15**(1), 1–12.

BIBLIOGRAPHY

- Kingsolver, J., Hoekstra, H., Hoekstra, J., Berrigan, D., Vignieri, S., Hill, C., Hoang, A., Gibert, P. and Beerli, P.: 2001, The strength of phenotypic selection in natural populations, *Am. Nat.* **157**(3), 245–261.
- Kirkpatrick, M., Johnson, T. and Barton, N. H.: 2002, General models of multilocus evolution, *Genetics* **161**, 1727–1750.
- Klein, G. and Prigogine, I.: 1953, Sur la mecanique statistique des phenomenes irreversibles I, *Physica* **19**(1), 74–88.
- Kondrashov, A. S. and Turelli, M.: 1992, Deleterious mutations, apparent stabilizing selection and the maintenance of quantitative variation, *Genetics* **132**(2), 603–618.
- Kopp, M. and Hermisson, J.: 2007, Adaptation of a quantitative trait to a moving optimum, *Genetics* **176**(1), 715.
- Kotiaho, J.: 2007, The stability of genetic variance-covariance matrix in the presence of selection., *J. Evol. Biol* **20**, 28–29.
- Kozlowski, J. and Konarzewski, M.: 2004, Is West, Brown and Enquist's model for allometric scaling mathematically correct and biologically relevant?, *Funct. Ecol.* **18**, 283–289.
- Kozusko, F. and Bajzer, Z.: 2003, Combining Gompertzian growth and cell population dynamics, *Math. Biosci.* **185**(2), 153–167.
- Lande, R.: 1975, The maintenance of genetic variability by mutation in a polygenic character with linked loci, *Genet. Res.* **26**, 221–235.
- Lande, R.: 1976, Natural selection and random genetic drift in phenotypic evolution, *Evolution* **30**(2), 314–334.
- Lande, R.: 1979, Quantitative genetic-analysis of multivariate evolution, applied to brain - body size allometry, *Evolution* **33**(1), 402–416.
- Lande, R.: 1980, The genetic covariance between characters maintained by pleiotropic mutations, *Genetics* **94**, 203–215.

BIBLIOGRAPHY

- Lande, R.: 1981, The minimum number of genes contributing to quantitative variation between and within populations, *Genetics* **99**(3-4), 541–553.
- Lande, R., Engen, S. and Saether, B. E.: 2003, *Stochastic Population Dynamics in Ecology and Conservation*, Oxford University Press, New York, USA.
- Laurila, A., Karttunen, S. and Merilä, J.: 2002, Adaptive phenotypic plasticity and genetics of larval life histories in two rana temporaria populations, *Evolution* **56**(3), 617–627.
- Le Bellac, M., Mortessagne, F. and Batrouni, G. G.: 2004, *Equilibrium and non-equilibrium statistical thermodynamics*, Cambridge Univ. Press, Cambridge, UK.
- Leff, H. S. and Rex, A. F.: 2003, *Maxwell's Demon II*, Institute of Physics, Bristol, UK.
- Lenormand, T. and Otto, S.: 2000, The evolution of recombination in a heterogeneous environment, *Genetics* **156**(1), 423–438.
- León, J. A. and Charlesworth, B.: 1976, Ecological versions of Fisher's fundamental theorem of natural selection, *Adv. Appl. Probab.* **8**(4), 639–641.
- León, J. A. and Charlesworth, B.: 1978, Ecological versions of Fisher's fundamental theorem of natural selection, *Ecology* **59**(3), 457–464.
- Li, W. H.: 1997, *Molecular Evolution*, Sinauer Associates, Inc, Sunderland, USA.
- Lion, S. and van Baalen, M.: 2008, Self-structuring in spatial evolutionary ecology, *Ecol. Lett.* **11**, 277–295.
- Loewe, L., Charlesworth, B., Bartolome, C. and Noel, V.: 2006, Estimating selection on nonsynonymous mutations, *Genetics* **172**(2), 1079–1092.
- Lwoff, A.: 1965, *Biological Order*, MIT Press, Boston, USA.

BIBLIOGRAPHY

- Lynch, M. and Walsh, B.: 1998, *Genetics and Analysis of Quantitative Traits*, Sinauer Associates, Sunderland, USA.
- Ma, C.-X., Yu, Q., Berg, A., Drost, D., Novaes, E., Fu, G., Yap, J. S., Tan, A., Kirst, M., Cui, Y. and Wu, R.: 2008, A statistical model for testing the pleiotropic control of phenotypic plasticity for a count trait, *Genetics* **179**(1), 627–636.
- MacArthur, R. H.: 1962, Some generalized theorems of natural selection., *Proc. Nat. Acad. Sci. USA* **46**, 1893–1897.
- MacArthur, R. and Wilson, E. O.: 1967, *The theory of island biogeography*, Princeton Univ. Press, Princeton, USA.
- Mackay, T. F. C.: 2001, Quantitative trait loci in drosophila, *Nat. Rev. Genet.* **2**, 11–20.
- Mackay, T. F. C.: 2004, Complementing complexity, *Nat. Genet.* **36**(11), 1145–1147.
- Malthus, T. R.: 1798, *Principle of Population*, Vol. 1, 6 (1826) edn, John Murray, London, UK.
- Mao, X., Marion, G. and Renshaw, E.: 2002, Environmental brownian noise suppresses explosions in population dynamics, *Stoch. Proc. Appl.* **97**, 95–110.
- May, R.: 1976, Simple mathematical model with very complicated dynamics., *Nature* **261**, 459–467.
- Maynard-Smith, J.: 1983, The genetics of stasis and punctuation, *Annu. Rev. Genet.* **17**, 11–25.
- Maynard-Smith, J.: 1999, *Evolutionary genetics*, Oxford University Press, Oxford, UK.
- Maynard-Smith, J. and Szathmáry, E.: 1997, *The major transitions in evolution*, Oxford University Press, Oxford, UK.
- Maynard-Smith, J. and Szathmáry, E.: 2000, *The Origins of Life: From the Birth of Life to the Origin of Language*, Oxford Univ. Press, Oxford, UK.

BIBLIOGRAPHY

- Mayr, E.: 1982, *The Growth of Biological Thought. Diversity, Evolution, and Inheritance*, The Belknap Press.
- Meszéna, G., Gyllenberg, M., Jacobs, F. and Metz, J. A. J.: 1992, Link between population dynamics and dynamics of darwinian evolution, *Phys. Rev. Lett.* **95**, 078105.
- Metropolis, N., Rosenbluth, A., Rosenbluth, M., Teller, A. and Teller, E.: 1953, Equation of state calculations by fast computing machines, *J. Chem. Phys.* **21**(6), 1087.
- Metz, J. A. J., Mylius, S. and Diekmann, O.: 2008, When does evolution optimize?, *Evol. Ecol. Res.* **10**(5), 629–654.
- Metz, J. A. J., Nisbet, R. and Geritz, S.: 1992, How should we define 'fitness' for general ecological scenarios?, *Trends Ecol. Evol.* **7**(6), 198–202.
- Molski, M. and Konarski, J.: 2003, Coherent states of Gompertzian growth, *Phys. Rev. E* **68**(2), 021916.
- Morita, A. and Makino, J.: 1986, Simple analytical solution for multiplicative nonlinear stochastic differential equations by a perturbation technique., *Phys. Rev. A* **34**(2), 1595–1598.
- Murray, B. G.: 1997, Population dynamics of evolutionary change: Demographic parameters as indicators of fitness, *Theor. Popul. Biol.* **51**(3), 180–184.
- Mylius, S. and Diekmann, O.: 1995, On evolutionarily stable life histories, optimization and the need to be specific about density dependence, *Oikos* **74**, 218–224.
- Nagylaki, T.: 1979, Dynamics of density-and frequency-dependent selection, *Proc. Natl. Acad. Sci. USA* .
- Nagylaki, T.: 1989, The maintenance of genetic variability in two-locus models of stabilizing selection, *Genetics* **122**(1), 235–248.
- Nagylaki, T.: 1993, The evolution of multilocus systems under weak selection, *Genetics* **134**(2), 627.

BIBLIOGRAPHY

- Nicolis, G. and Prigogine, I.: 1977, *Self organization in non-equilibrium systems: From dissipative structures to order through fluctuations*, John Wiley & Sons, New York, USA.
- Norton, L. and Simon, R.: 1977, Tumor size, sensitivity to therapy, and design of treatment schedules., *Cancer Treat. Rep.* **61**(7), 1307–1317.
- Norton, L., Simon, R., Brereton, H. D. and Bogden, A. E.: 1976, Predicting the course of Gompertzian growth., *Nature* **264**(5586), 542–545.
- Nosil, P., Crespi, B., Sandoval, C. and Kirkpatrick, M.: 2006, Migration and the genetic covariance between habitat preference and performance, *Am. Nat.* **167**(3), E66–E78.
- Okasha, S.: 2006, *Evolution and the levels of selection*, Oxford Univ. Press, Oxford, UK.
- Oksendal, B.: 2002, *Stochastic Differential Equations*, Springer-Verlag, Berlin.
- Ollivier, L. and Janss, L. L.: 1993, A note on the estimation of the effective number of additive and dominant loci contributing to quantitative variation, *Genetics* **135**(3), 907–9.
- Onsager, L.: 1931, Reciprocal relations in irreversible processes. I., *Phys. Rev.* **37**, 405–426.
- Orr, H. A.: 2000, Adaptation and the cost of complexity, *Evolution* **54**(1), 13–20.
- Orr, H. A.: 2003, The distribution of fitness effects among beneficial mutations, *Genetics* **163**(4), 1519–1526.
- Orr, H. A.: 2005, Theories of adaptation: what they do and don't say, *Genetica* **123**, 3–13.
- Orzack, S. H. and Tuljapurkar, S. D.: 1989, Population dynamics in variable environments. 7. the demographics and evolution of itroparity, *Am. Nat.* **133**(6), 901–923.

BIBLIOGRAPHY

- Otto, S. and Jones, C.: 2000, Detecting the undetected: Estimating the total number of loci underlying a quantitative trait, *Genetics* **156**(4), 2093–2107.
- Ovaskainen, O., Cano, J. M. and Merilä, J.: 2008, A Bayesian framework for comparative quantitative genetics, *Proc. R. Soc. London B* **275**(1635), 669–678.
- Page, K. M. and Nowak, M. A.: 2002, Unifying evolutionary dynamics, *J. Theor. Biol.* **219**, 93–98.
- Palo, J., O'Hara, R., Laugen, A., Laurila, A., Primmer, C. and Merilä, J.: 2003, Latitudinal divergence of common frog (*Rana temporaria*) life history traits by natural selection: evidence from a comparison of molecular and quantitative genetic data, *Mol. Ecol.* **12**(7), 1963–1978.
- Paulsen, S. M.: 1996, Quantitative genetics of the wing color pattern in the buckeye butterfly (*Precis coenia* and *Precis evarete*): evidence against the constancy of G, *Evolution* **50**, 1585–1597.
- Pearl, R.: 1927, The growth of populations., *Q. Rev. Biol.* **2**, 532–548.
- Pearson, K.: 1896, Mathematical contributions to the theory of evolution. III. regression, heredity and panmixia., *Philos. Trans. R. Soc. London A* **187**, 253–318.
- Pelletier, F., Clutton-Brock, T., Pemberton, J., Tuljapurkar, S. and Coulson, T.: 2007, The evolutionary demography of ecological change: Linking trait variation and population growth, *Science* **315**(5818), 1571–1574.
- Peters, R. H. (ed.): 1983, *The Ecological Implications of Body Size*, Cambridge University Press, Cambridge, UK.
- Phillips, P., Whitlock, M. C. and Fowler, K.: 2001, Inbreeding changes the shape of the genetic covariance matrix in *Drosophila melanogaster*, *Genetics* **158**(3), 1137–1145.
- Pianka, E. R.: 1970, On r and k selection, *Am. Nat.* **104**, 592–597.

- Pigliucci, M.: 2006, Genetic variance-covariance matrices: A critique of the evolutionary quantitative genetics research program, *Biol. Philos.* **21**(1), 1–23.
- Press, W., Teukolsky, S. A., Vetterling, W. T. and Flannery, B. P.: 2007, *Numerical Recipes 3rd Edition: The Art of Scientific Computing*, Cambridge Univ. Press, Cambridge, UK.
- Price, G.: 1970, Selection and covariance, *Nature* **227**, 520–521.
- Prigogine, I.: 1949, Le domaine de validité de la thermodynamique des phénomènes irréversibles, *Physica* **15**(1-2), 272–284.
- Provine, W. B.: 1986, *Sewall Wright and Evolutionary Biology*, Univ. Chicago Press, Chicago, USA.
- Prugel-Bennett, A.: 1997, Modelling evolving populations, *J. Theor. Biol.* **185**(1), 81–95.
- Prugel-Bennett, A. and Shapiro, J.: 1994, Analysis of genetic algorithms using statistical mechanics, *Phys. Rev. Lett.* **72**(9), 1305–1309.
- Prugel-Bennett, A. and Shapiro, J.: 1997, The dynamics of a genetic algorithm for simple random ising systems, *Physica D* **104**, 75–114.
- Rand, D. M.: 2001, The units of selection on mitochondrial DNA, *Annu. Rev. Ecol. Syst.* **32**, 415–548.
- Ratray, M. and Shapiro, J.: 2001, Cumulant dynamics of a population under multiplicative selection, mutation, and drift, *Theor. Pop. Biol.* **60**, 17–32.
- Reeve, J.: 2000, Predicting long-term response to selection, *Genet. Res.* **75**(1), 83–94.
- Reif, F.: 1965, *Fundamentals of Statistical and Thermal Physics*, McGraw-Hill, New York, USA.
- Renaud, S., Auffray, J.-C. and Michaux, J.: 2006, Conserved phenotypic variation patterns, evolution along lines of least resistance, and departure due to selection in fossil rodents, *Evolution* **60**(8), 1701–1717.

BIBLIOGRAPHY

- Renshaw, E.: 1991, *Modelling biological populations in space and time*, Cambridge Univ. Press, New York, USA.
- Renyi, A.: 1961, On measures of entropy and information, *Proc. Fourth. Berkeley Symp. Math. Stat. Prob.*, Vol. 1, University of California Press, Berkeley.
- Roff, D.: 1986, Predicting body size with life history models, *BioScience* **36**, 316–23.
- Roff, D.: 2000, The evolution of the G matrix: selection or drift?, *Heredity* **84**, 135–142.
- Roff, D.: 2007, A centennial celebration for quantitative genetics, *Evolution* **61**(5), 1017–1032.
- Roff, D., Emerson, K. and Goodnight, C.: 2006, Epistasis and dominance: evidence for differential effects in life-history versus morphological traits, *Evolution*.
- Rogers, A.: 2003, Phase transitions in sexual populations subject to stabilizing selection, *Phys. Rev. Lett.* **90**(15), 158103.
- Rogers, A. and Prugel-Bennett, A.: 2000, Evolving populations with overlapping generations, *Theor. Pop. Biol.* **57**(2), 121–129.
- Rouhani, S. and Barton, N. H.: 1987, The probability of peak shifts in a founder population., *J. Theor. Biol.* **126**(1), 51–62.
- Rouzine, I. M., Brunet, É. and Wilke, C.: 2007, The traveling-wave approach to asexual evolution: Muller's ratchet and speed of adaptation, *Theor. Pop. Biol.* **73**, 24–46.
- Rouzine, I. M., Wakeley, J. and Coffin, J. M.: 2003, The solitary wave of asexual evolution, *Proc. Natl. Acad. Sci. USA* **100**(2), 587–92.
- Roze, D. and Barton, N. H.: 2006, The Hill-Robertson effect and the evolution of recombination, *Genetics* **173**(3), 1793–1811.
- Rueffler, C., Egas, M. and Metz, J. A. J.: 2006, Evolutionary predictions should be based on individual-level traits, *Am. Nat.* **168**(5), 148–162.

BIBLIOGRAPHY

- Saakian, D. B. and Hu, C.-K.: 2006, Exact solution of the Eigen model with general fitness functions and degradation rates, *Proc. Natl. Acad. Sci. USA* **103**(13), 4935–4939.
- Saakian, D. B., Kirakosyan, Z. and Hu, C.-K.: 2008, Diploid biological evolution models with general smooth fitness landscapes and recombination, *Phys. Rev. E* **77**(6), 10.
- Saakian, D. B., Muñoz, E., Hu, C.-K. and Deem, M. W.: 2006, Quasispecies theory for multiple-peak fitness landscapes, *Phys. Rev. E* **73**(4), 10.
- Saether, B. E., Engen, S., Lande, R., Arcese, P. and Smith, J. N.: 2000, Estimating the time to extinction in an island population of song sparrows., *Proc. R. Soc. Lond. B* **267**(1443), 621–626.
- Saether, B. and Engen, S.: 2002, Pattern of variation in avian population growth rates., *Phil. Trans. R. Soc. Lond. B* **357**(1425), 185–195.
- Saether, Engen, S., Filli, F., Aanes, R., Schröder, W. and Andersen, R.: 2002, Stochastic population dynamics of an introduced swiss population of the Ibex, *Ecology* **83**(12), 3457–3465.
- Sagan, C.: 1973, Life, *The encyclopaedia Britannica*, 15th edn, Vol. 10, William Benton, London, UK.
- Scheuring, I. and Szathmary, E.: 2001, Survival of replicators with parabolic growth tendency and exponential decay, *J. Theor. Biol.* **212**, 99–106.
- Schliekelman, P. and Ellner, S. P.: 2001, Egg size evolution and energetic constraints on population dynamics, *Theor. Popul. Biol.* **60**(2), 73–92.
- Schneider, K.: 2006, A multilocus-multiallele analysis of frequency-dependent selection induced by intraspecific competition, *J. Math. Biol.* **52**(4), 483–523.
- Sella, G. and Hirsh, A.: 2005, The application of statistical physics to evolutionary biology, *Proc. Natl. Acad. Sci. USA* **102**(27), 9541–9546.

BIBLIOGRAPHY

- Shaw, R. G., Platenkamp, G. A., Shaw, F. H. and Podolsky, R. H.: 1995, Quantitative genetics of response to competitors in nemophila menziesii: a field experiment, *Genetics* **139**(1), 397–406.
- Shertzer, K. W. and Ellner, S. P.: 2002, Energy storage and the evolution of population dynamics, *J. Theor. Biol.* **215**(2), 183–200.
- Shoemaker, J., Painter, I. and Weir, B.: 1999, Bayesian statistics in genetics: a guide for the uninitiated, *Trends Genet.* **15**(9), 354–358.
- Shpak, M. and Kondrashov, A. S.: 1999, Applicability of the hypergeometric phenotypic model to haploid and diploid populations, *Evolution* **53**(2), 600–604.
- Sibly, R., Baker, D., Denham, M., Hone, J. and Pagel, M.: 2005, On the regulation of populations of mammals, birds, fish, and insects., *Science* **309**, 607–610.
- Siefert, M., Kittel, A., Friedrich, R. and Peinke, J.: 2003, On a quantitative method to analyze dynamical and measurement noise, *Europhys. Lett.* **61**(4), 466–472.
- Slatkin, M.: 1980, Ecological character displacement, *Ecology* **61**(1), 163–177.
- Slatkin, M. and Frank, S.: 1990, The quantitative genetic consequences of pleiotropy under stabilizing and directional selection, *Genetics* **125**, 207–213.
- Stearns, S.: 2004, *The evolution of life histories*, Oxford Univ. Press, Oxford, UK.
- Steppan, S., Phillips, P. and Houle, D.: 2002, Comparative quantitative genetics: evolution of the G matrix, *Trends Ecol. Evol.* **17**(7), 320–327.
- Szathmary, E.: 1991, Simple growth laws and selection consequences., *Trends Ecol. Evol.* **6**(11), 366–370.
- Szathmary, E.: 1993, A note on the reduction of the dynamics of multilocus diploid genetic systems with multiplicative fitness., *J. Theor. Biol.* **164**, 351–358.

BIBLIOGRAPHY

- Szathmary, E.: 1995, A classification of replicators and lambda-calculus models of biological organization, *Proc. Natl. Acad. Sci. USA* **260**(1359), 279–286.
- Szathmáry, E. and Demeter, L.: 1987a, Group selection of early replicators and the origin of life., *J. Theor. Biol.* **128**(4), 463–486.
- Szathmary, E. and Demeter, L.: 1987b, Group selection of early replicators and the origin of life, *J. Theor. Biol.* **128**(4), 463–486.
- Szathmary, E. and Gladkih, I.: 1989, Sub-exponential growth and co-existence of non-enzymatically replicating templates., *J. Theor. Biol.* **138**(1), 55.
- Szent-György, A.: 1972, *The Living State*, Academic Press, New York, USA.
- Tanaka, Y.: 2005, Constrained evolution of a quantitative character by pleiotropic mutation, *Theor. Pop. Biol.* **68**(4), 243–251.
- Travis, J. and Greenwood, J. J. D.: 1990, The interplay of population dynamics and the evolutionary process, *Phil. Trans. R. Soc. Lond. B* **330**(1257), 253–259.
- Tsallis, C.: 1988, Possible generalization of Boltzmann-Gibbs statistics, *J. Stat. Phys.* **52**, 479–487.
- Tuljapurkar, S.: 1990, *Population dynamics in variable environments*, Springer, Berlin, Germany.
- Tuljapurkar, S. D.: 1982, Population dynamics in variable environments.3. evolutionary dynamics of r -selection, *Theor. Popul. Biol.* **21**(1), 141–165.
- Tuljapurkar, S. D. and Orzack, S. H.: 1980, Population dynamics in variable environments I. long-run growth rates and extinction, *Theor. Pop. Biol.* **18**, 314–342.
- Turelli, M.: 1984, Heritable genetic variation via mutation-selection balance: Lerch's zeta meets the abdominal bristle, *Theor. Pop. Biol.* **25**(2), 138–193.

BIBLIOGRAPHY

- Turelli, M.: 1988, Phenotypic evolution, constant covariances, and the maintenance of additive variance, *Evolution* **42**(6), 1342–1347.
- Turelli, M. and Barton, N. H.: 1990, Dynamics of polygenic characters under selection, *Theor. Pop. Biol.* **38**, 1–57.
- Turelli, M. and Barton, N. H.: 1994, Genetic and statistical analyses of strong selection on polygenic traits: What, me normal?, *Genetics* **138**(3), 913–941.
- Turelli, M. and Barton, N. H.: 2004, Polygenic variation maintained by balancing selection pleiotropy, sex-dependent allelic effects and GxE interactions, *Genetics* **166**, 1053–1079.
- van Kampen, N. G.: 1957, Derivation of the phenomenological equations from the master equation, *Physica* **101**, 707–719.
- Verhulst, P.: 1838, Notice sur la loi due la population suit dans son accroissement., *Corresp. Math. Phys.* **10**, 113–121.
- Vlad, M., Szedlacsek, S., Pourmand, N., Cavalli-Sforza, L. L., Oefner, P. and Ross, J.: 2005, Fisher's theorems for multivariable, time- and space-dependent systems, with applications in population genetics and chemical kinetics, *Proc. Natl. Acad. Sci. USA* **102**(28), 948–9853.
- von Bertalanffy, L.: 1957, Quantitative laws in metabolism and growth., *Q. Rev. Biol.* **32**, 217–231.
- von Bertalanffy, L.: 1966, On the von Bertalanffy growth curve., *Growth* **30**(1), 123–124.
- von Kiedrowski, G.: 1986, A self-replicating hexadeoxinucleotide, *Angw. Chem. Intl. Ed.* **25**(10), 932–935.
- Wagner, G. P.: 1984, On the eigenvalue distribution of genetic and phenotypic dispersion matrices: evidence for a nonrandom organization of quantitative character variation, *J. Math. Biol.* **21**(1), 77–95.
- Wagner, G. P., Kenney-Hunt, J. P., Pavlicev, M., Peck, J. R., Waxman, D. and Cheverud, J. M.: 2008, Pleiotropic scaling of gene effects and the 'cost of complexity', *Nature* **452**, 470–473.

BIBLIOGRAPHY

- Wang, J., Caballero, A., Keightley, P. and Hill, W.: 1998, Bottleneck effect on genetic variance a theoretical investigation of the role of dominance, *Genetics* .
- Wehrl, A.: 1978, General properties of entropy., *Rev. Mod. Phys.* **50**(2), 221–260.
- Werren, J. H., Nur, U. and Wu, C.-I.: 1988, Selfish genetic element, *Trends Ecol. Evol.* **3**(11), 297–302.
- West, G., Brown, J. and Enquist, B.: 1997, A general model for the origin of allometric scaling laws in biology, *Science* **276**, 122–126.
- West, G., Brown, J. and Enquist, B.: 2001, A general model for ontogenetic growth., *Nature* **413**(6856), 628–631.
- Wheldon, T.: 1988, *Mathematical models in cancer research*, Adam Hilger, Bristol, UK.
- White, A., Greenman, J., Benton, T. and Boots, M.: 2006, Evolutionary behaviour in ecological systems with trade-offs and non-equilibrium population dynamics, *Evol. Ecol. Res.* **8**(3), 387–398.
- Wichmann, M., Johstb, K., Schwagerc, M., Blasiusd, B. and Jeltschc, F.: 2005, Extinction risk, coloured noise and the scaling of variance, *Theor. Pop. Biol.* **68**, 29–40.
- Widen, B., Andersson, S., Rao, G. and Widen, M.: 2002, Population divergence of genetic (co)variance matrices in a subdivided plant species, *Brassica cretica*, *J. Evol. Biol* **15**(6), 961–970.
- Wilkinson, G. S., Fowler, K. and Partridge, L.: 1990, Resistance of genetic correlation structure to directional selection in drosophila melanogaster, *Evolution* **44**, 1990–2003.
- Willensdorfer, M. and Bürger, R.: 2003, The two-locus model of gaussian stabilizing selection, *Theor. Pop. Biol.* **64**, 101–117.
- Wright, S.: 1932, The roles of mutation, inbreeding, crossbreeding and selection in evolution, *Proc. Sixth Intl. Cong. Genet.* **1**, 356–366.

BIBLIOGRAPHY

- Wright, S.: 1935, Evolution in populations in approximate equilibrium, *J. Genet.* **30**, 257–266.
- Wright, S.: 1938, The distribution of gene frequencies under irreversible mutation, *Proc. Natl. Acad. Sci. USA* **24**(7), 253–259.
- Wright, S.: 1967, ‘Surfaces’ of selective value, *Proc. Natl. Acad. Sci. USA* **58**(1), 165–172.
- Wright, S.: 1968, *Evolution and the Genetics of Populations Volume 1: Genetic and Biometric Foundations.*, University of Chicago Press, Chicago.
- Wright, S.: 1988, Surfaces of selective value revisited, *Am. Nat.* **131**(1), 115.
- Xu, S.: 2003, Theoretical basis of the Beavis effect, *Genetics* **165**, 2259—2268.
- Yang, Z. H. and Swanson, W. J.: 2002, Codon-substitution models to detect adaptive evolution that account for heterogeneous selective pressures among site classes, *Mol. Biol. Evol.* **19**(1), 49—57.
- Yang, Z. H., Wong, W. S. and Nielsen, R.: 2005, Bayes empirical Bayes inference of amino acid sites under positive selection, *Mol. Biol. Evol.* **22**(4), 1107—1118.
- Yoshimura, J. and Jansen, V. A. A.: 1996, Evolution and population dynamics in stochastic environments, *Res. Ppopul. Ecol.* **38**(2), 165–182.
- Yukilevich, R., Lachance, J., Aoki, F., True, J. and Travisano, M.: 2008, Long-term adaptation of epistatic genetic networks, *Evolution* **62**(9), 2215–2235.
- Zhang, X. S. and Hill, W.: 2005, Genetic variability under mutation selection balance, *Trends Ecol. Evol.* **20**(9), 468–470.

Appendix

